



AG/Industrial Cylinder Catalogue

7/47 Dewar Road, Bullsbrook, WA 6084
PO Box 1482 Wangara WA 6065
ph: 0428 234 663 - 0419 193 537

Part No.	Bore Diameter	Stroke	Rod Diameter	Close Length	Open Length	Port Size	Pin Diameter	Weight (kg)
40mm 1 1/2" Bore Cylinder								
AG4051	40mm-1 1/2"	51mm-2"	22mm-7/8"	292mm-11 1/2"	343mm-13 1/2"	9/16" UN O-ring	19.05mm-3/4"	6.4
AG40102		102mm-4"		343mm-13 1/2"	444mm-17 1/2"			6.7
AG40152		152mm-6"		393mm-15 1/2"	546mm-21 1/2"			7.0
AG40203		203mm-8"		444mm-17 1/2"	647mm-25 1/2"			7.3
AG40254		254mm-10"		495mm-19 1/2"	749mm-29 1/2"			7.5
AG40305		305mm-12"		546mm- 21 1/2"	851mm-33 1/2"			7.8
AG40356		356mm-14"		597mm-23 1/25"	953mm-37 1/2"			8.0
AG40406		406mm-16"		647mm-25 1/2"	1053mm-41 1/2"			8.3
AG40457		457mm-18"		698mm-27 1/2"	1155mm-45 1/2"			8.6
AG40508		508mm-20"		749mm-29 1/2"	1257mm-49 1/2"			8.9
AG40559		559mm-22"		800mm-31 1/2"	1359mm-53 1/2"			9.2
AG40610		610mm-24"		851mm-33 1/2"	1460mm-57 1/2"			9.4
AG40762		762mm-30"		1003mm-39 1/2"	1765mm-69 1/2"			10.2
AG40914		914mm-36"		1155mm-45 1/2"	2069mm-81 1/2"			11.0
AG401219		1219mm-48"		1460mm-57 1/2"	2679mm-105 1/2"			13.5



AG/Industrial Cylinder Catalogue

7/47 Dewar Road, Bullsbrook, WA 6084
PO Box 1482 Wangara WA 6065
ph: 0428 234 663 - 0419 193 537

Part No.	Bore Diameter	Stroke	Rod Diameter	Close Length	Open Length	Port Size	Pin Diameter	Weight (kg)
50mm 2" Bore Cylinder								
AG5051	50mm-2"	51mm-2"	32mm-1 1/4"	362mm-14 1/4"	413mm 16 1/4"	9/16" UN O-ring	25.4mm - 1"	6.6
AG50102		102mm-4"		413mm-16 1/4"	514mm-20 1/4"			7.4
AG50152		152mm-6"		463mm-18 1/4"	616mm-24 1/4"			8.2
AG50203		203mm-8"		514mm-20 1/4"	717mm-28 1/4"			9.0
AG50254		254mm-10"		565mm-22 1/4"	819mm-32 1/4"			9.8
AG50305		305mm-12"		616mm-24 1/4"	921mm-36 1/4"			10.6
AG50356		356mm-14"		667mm-26 1/4"	1022mm-40 1/4"			11.2
AG50406		406mm-16"		717mm-28 1/4"	1123mm 44 1/4"			12.2
AG50457		457mm-18"		768mm-30 1/4"	1225mm-48 1/4"			13.0
AG50508		508mm-20"		819mm-32 1/4"	1327mm-52 1/4"			13.8
AG50559		559mm-22"		870mm-34 1/4"	1429mm-56 1/4"			14.6
AG50610		610mm-24"		921mm-36 1/4"	1530mm-60 1/4"			15.4
AG50660		660mm-26"		971mm-38 1/4"	1631mm-64 1/4"			16.2
AG50711		711mm-28"		1022mm-40 1/4"	1733mm-68 1/4"			17.0
AG50762		762mm-30"		1073mm-42 1/4"	1835mm-72 1/4"			17.8
AG50914		914mm-36"		1225mm-48 1/4"	2139mm-84 1/4"			20.2
AG501067		1067mm-42"		1378mm-54 1/4"	2445mm-96 1/4"			22.6
AG501219		1219mm-48"		1530mm-60 1/4"	2749mm-108 1/4"			25.0



AG/Industrial Cylinder Catalogue

7/47 Dewar Road, Bullsbrook, WA 6084
PO Box 1482 Wangara WA 6065
ph: 0428 234 663 - 0419 193 537

Part No.	Bore Diameter	Stroke	Rod Diameter	Close Length	Open Length	Port Size	Pin Diameter	Weight (kg)
63mm - 2 1/2" Bore Cylinder								
AG6351	63mm-2 1/2"	51mm-2"	40mm-1 1/2"	362mm-14 1/4"	413mm 16 1/4"	3/4" UN O-ring	25.4mm - 1"	8.6
AG63102		102mm-4"		413mm-16 1/4"	514mm-20 1/4"			9.1
AG63152		152mm-6"		463mm-18 1/4"	616mm-24 1/4"			9.8
AG63203		203mm-8"		514mm-20 1/4"	717mm-28 1/4"			10.8
AG63254		254mm-10"		565mm-22 1/4"	819mm-32 1/4"			11.9
AG63305		305mm-12"		616mm-24 1/4"	921mm-36 1/4"			12.8
AG63356		356mm-14"		667mm-26 1/4"	1022mm-40 1/4"			13.6
AG63406		406mm-16"		717mm-28 1/4"	1123mm 44 1/4"			14.1
AG63457		457mm-18"		768mm-30 1/4"	1225mm-48 1/4"			14.8
AG63508		508mm-20"		819mm-32 1/4"	1327mm-52 1/4"			15.7
AG63559		559mm-22"		870mm-34 1/4"	1429mm-56 1/4"			16.6
AG63610		610mm-24"		921mm-36 1/4"	1530mm-60 1/4"			17.6
AG63660		660mm-26"		971mm-38 1/4"	1631mm-64 1/4"			18.6
AG63711		711mm-28"		1022mm-40 1/4"	1733mm-68 1/4"			19.7
AG63762		762mm-30"		1073mm-42 1/4"	1835mm-72 1/4"			20.6
AG63914		914mm-36"		1225mm-48 1/4"	2139mm-84 1/4"			23.2
AG631067		1067mm-42"		1378mm-54 1/4"	2445mm-96 1/4"			26.2
AG631219		1219mm-48"		1530mm-60 1/4"	2749mm-108 1/4"			29.1



AG/Industrial Cylinder Catalogue

7/47 Dewar Road, Bullsbrook, WA 6084
PO Box 1482 Wangara WA 6065
ph: 0428 234 663 - 0419 193 537

Part No.	Bore Diameter	Stroke	Rod Diameter	Close Length	Open Length	Port Size	Pin Diameter	Weight (kg)
75mm - 3" Bore Cylinder								
AG7551	75mm-3"	51mm-2"	40mm-1 1/2"	362mm-14 1/4"	413mm 16 1/4"	3/4" UN O-ring	25.4mm - 1"	11.6
AG75102		102mm-4"		413mm-16 1/4"	514mm-20 1/4"			12.6
AG75152		152mm-6"		463mm-18 1/4"	616mm-24 1/4"			13.4
AG75203		203mm-8"		514mm-20 1/4"	717mm-28 1/4"			14.5
AG75254		254mm-10"		565mm-22 1/4"	819mm-32 1/4"			15.5
AG75305		305mm-12"		616mm-24 1/4"	921mm-36 1/4"			16.7
AG75356		356mm-14"		667mm-26 1/4"	1022mm-40 1/4"			17.4
AG75406		406mm-16"		717mm-28 1/4"	1123mm 44 1/4"			18.5
AG75457		457mm-18"		768mm-30 1/4"	1225mm-48 1/4"			19.3
AG75508		508mm-20"		819mm-32 1/4"	1327mm-52 1/4"			20.5
AG75559		559mm-22"		870mm-34 1/4"	1429mm-56 1/4"			21.6
AG75610		610mm-24"		921mm-36 1/4"	1530mm-60 1/4"			22.7
AG75660		660mm-26"		971mm-38 1/4"	1631mm-64 1/4"			23.9
AG75711		711mm-28"		1022mm-40 1/4"	1733mm-68 1/4"			25.2
AG75762		762mm-30"		1073mm-42 1/4"	1835mm-72 1/4"			26.4
AG75914		914mm-36"		1225mm-48 1/4"	2139mm-84 1/4"			30.0
AG751067		1067mm-42"		1378mm-54 1/4"	2445mm-96 1/4"			33.3
AG751219		1219mm-48"		1530mm-60 1/4"	2749mm-108 1/4"			36.9



AG/Industrial Cylinder Catalogue

7/47 Dewar Road, Bullsbrook, WA 6084
PO Box 1482 Wangara WA 6065
ph: 0428 234 663 - 0419 193 537

Part No.	Bore Diameter	Stroke	Rod Diameter	Close Length	Open Length	Port Size	Pin Diameter	Weight (kg)
90mm - 3 1/2" Bore Cylinder								
AG90152	90mm-3 1/2"	152mm-6"	45mm-1 3/4"	463mm-18 1/4"	616mm-24 1/4"	3/4" UN O-ring	25.4mm - 1"	18.1
AG90203		203mm-8"		514mm-20 1/4"	717mm-28 1/4"			19.4
AG90254		254mm-10"		565mm-22 1/4"	819mm-32 1/4"			20.7
AG90305		305mm-12"		616mm-24 1/4"	921mm-36 1/4"			22.2
AG90356		356mm-14"		667mm-26 1/4"	1022mm-40 1/4"			23.7
AG90406		406mm-16"		717mm-28 1/4"	1123mm 44 1/4"			24.2
AG90457		457mm-18"		768mm-30 1/4"	1225mm-48 1/4"			25.7
AG90508		508mm-20"		819mm-32 1/4"	1327mm-52 1/4"			27.2
AG90610		610mm-24"		921mm-36 1/4"	1530mm-60 1/4"			30.2
AG90762		762mm-30"		1073mm-42 1/4"	1835mm-72 1/4"			35.0
AG90914		914mm-36"		1225mm-48 1/4"	2139mm-84 1/4"			39.5
AG901067		1067mm-42"		1378mm-54 1/4"	2445mm-96 1/4"			44.0
AG901219		1219mm-48"		1530mm-60 1/4"	2749mm-108 1/4"			48.5



AG/Industrial Cylinder Catalogue

7/47 Dewar Road, Bullsbrook, WA 6084
PO Box 1482 Wangara WA 6065
ph: 0428 234 663 - 0419 193 537

Part No.	Bore Diameter	Stroke	Rod Diameter	Close Length	Open Length	Port Size	Pin Diameter	Weight (kg)
100mm - 4" Bore Cylinder								
AG100203	100mm-4"	203mm-8"	45mm-1 3/4"	514mm-20 1/4"	717mm-28 1/4"	3/4" UN O-ring	25.4mm - 1"	22.0
AG100254		254mm-10"		565mm-22 1/4"	819mm-32 1/4"			23.5
AG100305		305mm-12"		616mm-24 1/4"	921mm-36 1/4"			25.0
AG100356		356mm-14"		667mm-26 1/4"	1022mm-40 1/4"			26.5
AG100406		406mm-16"		717mm-28 1/4"	1123mm 44 1/4"			28.0
AG100457		457mm-18"		768mm-30 1/4"	1225mm-48 1/4"			29.7
AG100508		508mm-20"		819mm-32 1/4"	1327mm-52 1/4"			31.4
AG100610		610mm-24"		921mm-36 1/4"	1530mm-60 1/4"			38.3
AG100762		762mm-30"		1073mm-42 1/4"	1835mm-72 1/4"			40.7
AG100914		914mm-36"		1225mm-48 1/4"	2139mm-84 1/4"			45.7
AG1001067		1067mm-42"		1378mm-54 1/4"	2445mm-96 1/4"			50.7
AG1001219		1219mm-48"		1530mm-60 1/4"	2749mm-108 1/4"			55.6
AG100610-50		610mm-24"	50mm-2"	921mm-36 1/4"	1530mm-60 1/4"			37.6
AG100762-50		762mm-30"		1073mm-42 1/4"	1835mm-72 1/4"			42.0
AG100914-50		914mm-36"		1225mm-48 1/4"	2139mm-84 1/4"			48.0
AG1001067-50		1067mm-42"		1378mm-54 1/4"	2445mm-96 1/4"			52.5
AG1001219-50		1219mm-48"		1530mm-60 1/4"	2749mm-108 1/4"			58.0
125mm - 5" Bore Cylinder								
AG125203	125mm-5"	203mm-8"	50mm-2"	514mm-20 1/4"	717mm-28 1/4"	3/4" UN O-ring	25.4mm - 1"	28.5
AG125305		305mm-12"		616mm-24 1/4"	921mm-36 1/4"			32.7
AG125406		406mm-16"		717mm-28 1/4"	1123mm 44 1/4"			36.9
AG125457		457mm-18"		768mm-30 1/4"	1225mm-48 1/4"			39.0
AG125508		508mm-20"		819mm-32 1/4"	1327mm-52 1/4"			43.4
AG125610-63		610mm-24"	63mm-2 1/2"	921mm-36 1/4"	1530mm-60 1/4"			53.0
AG125762-63		762mm-30"		1073mm-42 1/4"	1835mm-72 1/4"			60.5
AG125914-63		914mm-36"		1225mm-48 1/4"	2139mm-84 1/4"			68.2
AG1251067-63		1067mm-42"		1378mm-54 1/4"	2445mm-96 1/4"			75.9
AG1251219-63		1219mm-48"		1530mm-60 1/4"	2749mm-108 1/4"			83.2



Front End Loader Cylinder Catalogue

7/47 Dewar Road, Bullsbrook, WA 6084
PO Box 1482 Wangara WA 6065
ph: 0428 234 663 - 0419 193 537

Part No.	Bore Diameter	Stroke	Rod Diameter	Close Length	Open Length	Port Size	Pin Diameter	Weight (kg)	Cylinder Type
63mm - 2 1/2" Bore Cylinder									
FL63406B	63mm-2 1/2"	406mm-16"	40mm-1 1/2"	641mm-25 1/4"	1047mm-41 1/4"	3/8" BSP	25.4mm - 1"	14.1	Bucket
FL63565B		65mm-22 1/2"		800mm-31 1/2"	1365mm-53 3/4"			18.0	Bucket
FL63762AR		762mm-30"		997mm-39 1/4"	1759mm-69 1/4"			21.0	Arm RH
FL63762AL		762mm-30"		997mm-39 1/4"	1759mm-69 1/4"			21.0	Arm LH
75mm - 3" Bore Cylinder									
FL75406B	75mm-3"	406mm-16"	45mm-1 3/4"	641mm-25 1/4"	1047mm-41 1/4"	3/8" BSP	25.4mm - 1"	20.0	Bucket
FL75565B		65mm-22 1/2"		800mm-31 1/2"	1365mm-53 3/4"			23.0	Bucket
FL75673AR		673mm-30"		908mm-35 3/4"	1581mm-62 1/4"			25.0	Arm RH
FL75673AL		673mm-30"		908mm-35 3/4"	1581mm-62 1/4"			25.0	Arm LH
FL75762AR		762mm-30"		997mm-39 1/4"	1759mm-69 1/4"			27.0	Arm RH
FL75762AL		762mm-30"		997mm-39 1/4"	1759mm-69 1/4"			27.0	Arm LH



Double Acting 3 Point Linkage Cylinder Catalogue

7/47 Dewar Road, Bullsbrook, WA 6084
PO Box 1482 Wangara WA 6065
ph: 0428 234 663 - 0419 193 537

Part No.	Bore Diameter	Stroke	Rod Diameter	Close Length	Open Length	Port Size	Pin Diameter	Weight (kg)
63mm - 2 1/2" Bore Cylinder								
3PL63102	63mm-2 1/2"	102mm-4"	40mm-1 1/2"	413mm-16 1/4"	514mm-20 1/4"	3/4" UN O-ring	25.4mm - 1"	9.1
3PL63152		152mm-6"		463mm-18 1/4"	616mm-24 1/4"			9.8
3PL63203		203mm-8"		514mm-20 1/4"	717mm-28 1/4"			10.8
3PL63254		254mm-10"		565mm-32 1/4"	819mm-32 1/4"			11.9
3PL63305		305mm-12"		616mm-24 1/4"	921mm-36 1/4"			12.8